

Contura

New!

i4 FS

New life in the
fireplace



Heat and style for you and your fireplace

Old fashioned charm and atmosphere is wonderful. Cold, draughts and high heating costs are not.

Contura i4 FS transforms an old fireplace into an efficient and environmentally sound heat source, without losing its personality. Choose between a modern or a more classic design. The fire can be clearly seen in both models and lights up the entire room.

Contura i4 FS is designed for burning wood or smokeless fuel and it is easy to switch between fuel types.

The stove is designed for installation in Builders Opening or to build a whole new fireplace or place as freestanding. No matter which model you choose, it is your imagination that sets the limits!



For those who want to choose their design

Choose between a modern or a more classic design

Designed for burning wood or smokeless fuel and it's easy to switch!


Place anywhere you want - in Builder's Opening, your own bespoke fireplace, or just freestanding in the room

World class clean burning with wood keeps the glass clean and soot free

Add Powerstone for even more heat retention!

More heat from the wood

When you buy a stove from Contura you get Swedish design and quality of the highest class. The generous glass area shows a lot of the flame and our unique Clean Burning System keeps the glass clean and soot free. The efficient combustion technology gives more heat from the wood.




Cooling graphs for Contura i4 FS

At Contura we test the function and output of the stoves very thoroughly. The graphs below display the cooling time after firing. The tests were carried out with an initial lighting and four refuellings. The initial lighting and the first three refuellings were carried out

with the combustion damper completely open. After the last refuelling the air supply was restricted to a little under half. The cooling period was counted from the final refuelling until the external temperature of the cladding (side) had reduced to 30° C.

Temperature curve Contura i4 FS



Powerstone

Contura i4 FS is available with a heat tank made of heat retaining powerstone. The heat tank is underneath the side panels, one stone on each side of the actual stove. Powerstone gives even heat distribution over a long period.



Place in Builders Opening, in your own bespoke fire place or as freestanding in your room. The feet have a levelling screw for uneven surfaces.

Technical details

Output	3-5 kW
Nominal output	4 kW
Efficiency from	80 %
Model	Classic
Weight (kg)	85
Width (mm)	479
Depth (mm)	408
Height (mm)	642
Model	Modern
Weight (kg)	81
Width (mm)	492
Depth (mm)	368
Height (mm)	660

The stove can be used in Smoke Control Areas.

Accessories


Outdoor air connection kit.
Heat retaining Powerstone
Stainless steel handle for Modern




Ci4 FS Classic black







Ci4 FS Modern black or grey



Contura i4 FS Classic



Contura i4 FS Modern



More information can be found in the installation instructions.