



CAST IRON STOVES



C O N T E N T S

The AGA Story	3
Working With Cast Iron	4
Engineering Excellence	6
Active Airflow Technology	8
AGA Stoves Are Up To 81% Efficient	10
A Fuel To Suit All Homes And Needs	11
The Stretton	12
The Ludlow	14
The Little Wenlock SE	16
The Little Wenlock Classic	18
The Little Wenlock	20
The Much Wenlock Classic	22
The Berrington	24
The Minsterley	26
The Rembrandt	28
Fusion Pellet Stove	30
Specifications – All Models	32
Cast Iron Pipes And Bends	33
Stoves Approvals	34
Helpful Advice	34



T H E A G A S T O R Y

For over 80 years AGA has remained at the forefront of engineering excellence. AGA stoves embody the best AGA traditions and employ the very latest technology. The generations of workers who have bestowed their craft, often from father to son, have done so with great care and attention, bringing a sense of pride to each new creation. When you invest in an AGA stove, you are acquiring a piece

of history, a talking point and a centrepiece for your home. AGA stoves are made by the manufacturers of the world famous AGA range cooker. They are assembled by hand by skilled craftsmen, giving each one a personal touch and unique quality. Nothing is better for retaining and radiating heat than cast iron and nobody knows how to work with cast iron better than AGA.

WORKING WITH CAST IRON

To make a stove which is both beautiful to look at and practical to run, you have to start with the right materials – a high quality metal, which is precision cast and expertly finished by skilled craftsmen.



BEAUTIFUL DESIGN FEATURES

The beautiful cast iron panels of an AGA stove are individually moulded in a hand finished 'cast'. This means that we can create the gentle curves and exquisite design details which are the hallmark of a high quality stove. AGA stoves are available with a cast matt finish or a high quality vitreous enamel surface.



EXCELLENT HEAT RETENTION

Cast iron is renowned for its heat retention properties, which is why we use it in our world famous AGA cookers. The heat stored whilst the stove is lit continues to be released into the room, long after the embers have died away.



OUTSTANDING BUILD QUALITY

As you would expect with any product from AGA, our stoves are manufactured to the highest possible standards. They carry the CE mark, which means that they comply with the essential requirements of the relevant European health, safety, environmental protection legislation and are all HETAS listed. AGA stoves have a five year parts and one year labour warranty.*

(*Does not apply to consumable items; glass, bricks etc.)

QUALITY CONTROL

Every AGA cast iron stove is subjected to a detailed quality control inspection before it is allowed to leave the factory.

ENGINEERING EXCELLENCE

With a reputation for technical excellence second to none, AGA cast iron stoves are amongst the best you can buy. Each model is individually designed, to ensure that the air flows around the stove in the most efficient way possible. Innovative features include; a chrome iron grate, perfect for burning wood or solid fuel, an interchangeable wood burning plate* and stainless steel after burners, to reduce emissions of soot. A primary air inlet valve is fitted as standard on all stoves, so that you can vary the heat output and control running costs.

All components are manufactured to the highest technical standards. Each stove is assembled by hand and subjected to a gruelling series of quality control checks, including a visual inspection of the casting, before it is allowed to leave the factory.

*On selected models.

FLEXIBILITY

Most models can burn either wood or solid fuel and some models are available with a boiler to provide domestic hot water.



ACTIVE AIRFLOW TECHNOLOGY


Often it is those things which you don't see, that make all the difference.

AGA stoves incorporate the latest Active Airflow technology, to deliver the most efficient use of energy and to protect the environment from harmful emissions.

Fresh air is carefully channelled below, around and above the fire box, to create the optimum conditions for combustion. Any solid particles and volatile gasses produced from the fire are re-ignited and burnt off, before they can enter the atmosphere.

This process not only guarantees that you achieve the maximum heat output from your chosen fuel, but also helps to keep the window clean and clear, so that you can enjoy the flame picture to the full.

Our Little Wenlock Classic Smoke Exempt Stoves can be used in smoke control areas throughout the UK to burn any authorised smokeless fuel.



1. A controllable air intake allows you to set the rate of combustion
2. Pre-heated air, from the rear of the stove, creates a secondary burn, which increases the heat output and burns off impurities
3. Air flows across the window keeping it clean and clear, giving a magnificent view of the fire

AGA STOVES ARE UP TO 81% EFFICIENT

By following a few simple guidelines, you can ensure that your stove is not only economic to run, but environmentally friendly too.

The secret is to burn clean, dry fuels at high temperature, with an adequate air supply. Modern proprietary solid fuels and large anthracite nuts burn at consistently high temperatures, ensuring a good secondary combustion of any impurities in the smoke. Never use fuel which is wet or unsuitable for the appliance and don't overfill the firebox. Of course, dry timber from a well managed and renewable forest is the

most environmentally friendly fuel of all, as any emissions are comparatively low in CO₂ and the planting of new trees can help to reduce global warming.

As a simple check, if the smoke coming from your chimney is black or dark brown, then the combustion is incomplete and you are releasing too many impurities into the environment. If it is white or barely visible then your stove is working at peak efficiency, AGA stoves are up to 81% efficient and are all HETAS listed.

WE VALUE THE ENVIRONMENT



A RENEWABLE RESOURCE

Timber is a renewable resource which has a comparatively low impact on the environment. If you use windfalls or timber that you have cut yourself, make sure that it is completely dry.

Only use fuels which are recommended for your stove.



SUSTAINABLE HEATING. A GREENER ALTERNATIVE

AGA Stoves can now be linked up to renewable energy systems, such as solar hot water and traditional wood burning range cookers, offering lower carbon emissions and fossil fuel savings.

A FUEL TO SUIT ALL HOMES AND NEEDS



SOLID FUEL

Solid fuel is not only economic but produces the best living flame.



WOOD

A renewable resource and the most environmentally friendly fuel to burn. Nothing can compare with the roar and crackle of a real wood fire.



NATURAL GAS

Clean and efficient with an authentic flame picture. Instant controllable heat. Ideal for city dwellers or those with a busy lifestyle.



SOLID FUEL OPTIONS

Solid fuel is an efficient and economical method of heating your home 24 hours a day, whatever the weather. There are a wide range of fuels available. Homes with solid fuel heating are better ventilated than the average home, which reduces condensation, helps to eliminate household mould and carries away toxins.



WOOD BURNING

AGA stoves are clean burning and highly efficient. Burning timber is cost effective and helps to conserve fossil fuels. For the best effect, only dry seasoned timber should be used. You can recognise dry wood by the fact that the bark comes away easily. Fresh green wood can have a moisture content of up to 90%, which makes it slow to ignite, produces steam, reduces the efficiency of the stove and can lead to excess sooting, which in turn, reduces the visibility of the flame picture. The firebox should never be completely emptied as wood burns best on a bed of ash.



The Stretton



Matt Black



ACTIVE AIRFLOW SYSTEM



NEW The Stretton


THE STRETTON

The new Stretton boasts a sleek design as well as being simple and easy to use. With 78.4% efficiency and a nominal heat output of 4.9kW (maximum heat output 7.4kW) it's a great solution to owning a cast iron multi fuel stove whilst keeping a focal point of a traditional fireplace. The Stretton can be positioned into a 16" or 18" fireplace.

Designed to the highest AGA standards, precisely engineered to give an extremely effective air-wash systems. It also has an adjustable secondary air wash system to ensure the glass is kept clean. The "cool touch" black handle, removable shaker grate, ash pan, fire fence and front ash tray all help make the Stretton exceptionally easy to use. It is just perfect for those looking for warmth and style.

FUEL TYPE	FLUE	WINDOW	TOP	ENAMEL OPTION	AIR WASH	OPTIONAL BOILER
Solid Fuel and Wood	Conventional	Plain	n/a	No	Yes	No

Please consult your dealer for more details.



RECOMMENDED SOLID FUEL TYPES

wood, coal and manufactured smokeless fuel (see page 11 for details).



WOOD

SOLID FUEL



The Ludlow



Matt Black



ACTIVE AIRFLOW SYSTEM



NEW The Ludlow

THE LUDLOW


The Ludlow is a medium sized multi fuel stove with a nominal heat output of 6.5kW, (maximum heat output of 9.7kW) with 76% efficiency when burning wood logs. It has a removable shaker grate, ash pan, fire fence and front ash tray. As well as being simple and easy to use, it can be left to burn overnight.

It features the classic AGA black wire handle and will look equally at home in a traditional or contemporary setting.

The Ludlow has been designed to exude a similar look to the existing AGA Stoves range, precisely engineered to give an effective air-wash system. This is controlled with pinpoint accuracy by the dedicated, preheated tertiary air intake.

FUEL TYPE	FLUE	WINDOW	TOP	ENAMEL OPTION	AIR WASH	OPTIONAL BOILER
Solid Fuel and Wood	Conventional	Plain	Rounded	No	Yes	No

Please consult your dealer for more details.



RECOMMENDED SOLID FUEL TYPES

Wood, coal, anthracite and peat briquettes. (see page 11 for details).



WOOD

SOLID FUEL



The Little Wenlock Classic SE



Matt Black

SMOKE CONTROL EXEMPT



ACTIVE AIRFLOW SYSTEM



The Little Wenlock Classic SE in Matt Black

THE *Classic* WENLOCK SE

The Little Wenlock Classic SE - a dedicated Smoke Exempt version of the best selling Little Wenlock Classic.



A carbon neutral, renewable and cost effective energy source there has never been a better time to bring the warmth and heart warming appeal of a real fire into your living room.

Specifically designed to burn wood - and to burn it so efficiently as to meet the stringent requirements of the Clean Air Act - the low particulate emissions from the SE means that this product is fully approved to burn wood in smoke control zones (typically associated with urban centres of population). Nominal heat output on the SE is 4.7kW.

The Little Wenlock Classic SE - your fully approved Exempted Appliance - the perfect blend of old and new - combining cutting edge technology with traditional cast iron style and performance.

FUEL TYPE	FLUE	WINDOW	TOP	ENAMEL OPTION	AIR WASH	OPTIONAL BOILER
Wood	Conventional	Plain	Rounded	No	Yes	No

Please consult your dealer for more details.



SMOKE CONTROL EXEMPT



WOOD

RECOMMENDED SOLID FUEL TYPES

Dry Seasoned Wood Logs

* Higher or lower outputs can be obtained by lengthening or shortening the refuelling interval.



The Little Wenlock Classic



Matt Black



The Little Wenlock Classic in Matt Black

THE LITTLE WENLOCK



Classic

The Little Wenlock Classic is the perfect blend of old and new, it combines cutting edge design with traditional casting beauty. A small cast iron multi-fuel stove with dedicated preheated secondary air and a nominal heat output of up to 4.7kW, so avoiding the need for an additional air requirement*. It offers top or rear flue connection, a high chrome riddling grate, a built-in ash pan, combustion air control and one of the most effective air-wash systems available to keep the glass clean. The Little Wenlock comes with an interchangeable wood burning plate giving you one of the most efficient wood burning stoves in the world with over 81% efficiency.

(*subject to any other additional regulatory requirements)

FUEL TYPE	FLUE	WINDOW	TOP	ENAMEL OPTION	AIR WASH	OPTIONAL BOILER
Solid Fuel and Wood	Conventional	Plain	Rounded	No	Yes	No

Please consult your dealer for more details.



RECOMMENDED SOLID FUEL TYPES

Smokeless - Ancit, Centurion, Coalite (Nuts), Maxibrite, Phurnacite, Sunbrite (Doubles), Extracite, Blazeprite, Anthracite (Large Nuts), Welsh Dry Steam Coal (Large Nuts), Dry Seasoned Wood (see page 11 for details).



The Little Wenlock Solid Fuel and Wood Stove in Gloss Black Enamel
The Little Wenlock is now only available in Matt Black



Matt Black



ACTIVE
AIRFLOW
SYSTEM





The Little Wenlock in Gloss Black Enamel
Now only available in Matt Black

THE LITTLE WENLOCK

The Little Wenlock is a highly versatile stove. With traditional moulded detailing, arched side panels and the distinctive wire handle so reminiscent of an AGA – which means that it will look perfect in almost any setting. Featuring a nominal output of up to 5.7kW, (and a maximum output of 8kW) with 79% efficiency this solid fuel and wood stove is ideal for small to medium sized rooms. It is also available in Natural Gas (see page 28).

FUEL TYPE	FLUE	WINDOW	TOP	ENAMEL OPTION	AIR WASH	OPTIONAL BOILER
Solid Fuel and Wood	Conventional	Plain	Rounded	Yes	Yes	No

Please consult your dealer for more details.



WOOD



SOLID FUEL

RECOMMENDED SOLID FUEL TYPES

Smokeless - Ancit, Centurion, Coalite (Nuts), Maxibrite, Phurnacite, Sunbrite (Doubles), Extracite, Blazeprite, Anthracite (Large Nuts), Welsh Dry Steam Coal (Large Nuts), Dry Seasoned Wood (see page 11 for details).



The Much Wenlock Classic



THE MUCH WENLOCK CLASSIC

The Much Wenlock Classic is a medium sized solid fuel and wood stove with a nominal heat output of 5.5kW (maximum 8.3kW) with 77% efficiency. It is suitable for burning wood, coal, anthracite and peat briquettes. It has a removable shaker grate, ash pan, fire fence and front ash tray. It's simple and easy to use and can be left to burn overnight. Like the standard Much Wenlock it has the same black wire handle and air inlet control and will look equally at home in a traditional or contemporary setting.

FUEL TYPE	FLUE	WINDOW	TOP	ENAMEL OPTION	AIR WASH	OPTIONAL BOILER
Solid Fuel and Wood	Conventional	Plain	Rounded	No	Yes	No

Please consult your dealer for more details.

PRODUCT DIMENSIONS



RECOMMENDED SOLID FUEL TYPES
(see page 21 for details).

The Much Wenlock Classic Solid Fuel and Wood Stove



Matt Black





The Berrington Solid Fuel and Wood Stove

-  Matt Black
-  Gloss Black Enamel
-  Gloss Majolica Brown Enamel





The Berrington

THE BERRINGTON

A truly elegant design, the Berrington has a distinctive pebbled door surround, with a beautiful paned effect window. This large stove, ideal for the family home, has a nominal heat output of up to 8.5kW (and a maximum heat output of 12kW) with 76% efficiency. Like the Much Wenlock, it can be safely left to burn overnight and the removable grate system makes it easy to clean.

FUEL TYPE	FLUE	WINDOW	TOP	ENAMEL OPTION	AIR WASH	OPTIONAL BOILER
Solid Fuel and Wood	Conventional	Paned	Rounded	Yes	Yes	No

Please consult your dealer for more details.



RECOMMENDED SOLID FUEL TYPES

Smokeless - Ancit, Centurion, Coalite (Nuts), Maxibrite, Phurnacite, Sunbrite (Doubles), Extracite, Blazeprite, Anthracite (Large Nuts), Welsh Dry Steam Coal (Large Nuts), Dry Seasoned Wood (see page 11 for details).

SOLID FUEL



The Minsterley AGA Stove



Matt Black




The Minsterley in Matt Black

THE MINSTERLEY

As one of our larger stoves, the Minsterley not only provides central heating but also generates a plentiful source of hot water for your home, with a nominal heat output of 7.5kW to water (and a maximum output of 11.2kW to water). The Minsterley features a thermostatic (water temperature) control as well as primary and secondary air intakes for optimum control. Its versatility means that as well as burning wood it can also burn coal, peat briquettes or smokeless fuel through use of the interchangeable wood burning plate. Combining the power and efficiency of its heat output, the Minsterley is the perfect choice for the family home.

FUEL TYPE	FLUE	WINDOW	TOP	ENAMEL OPTION	AIR WASH	OPTIONAL BOILER
Solid Fuel and Wood	Conventional	Paned	Rounded	No	Yes	Boiler Only

Please consult your dealer for more details.



RECOMMENDED SOLID FUEL TYPES

Smokeless - Ancit, Centurion, Coalite (Nuts), Maxibrite, Phurnacite, Sunbrite (Doubles), Extracite, Blazeprite, Anthracite (Large Nuts), Welsh Dry Steam Coal (Large Nuts), Dry Seasoned Wood (see page 11 for details).



The Rembrandt Solid Fuel Fire



Matt Black



The Rembrandt in Matt Black


THE REMBRANDT

A cast iron variation on the open grate, in a contemporary matt black finish. The Rembrandt has a beautifully ribbed canopy hood and front plate. With a heat output up to 3.6kW, the Rembrandt is far more efficient than conventional hearths, as it has a controllable air input and an adjustable throat plate inside the canopy, which reduces heat loss up the chimney.

Unlike most open fires, the Rembrandt's cast iron hood radiates additional heat into your room giving a higher efficiency. It is the only open convector fire that is HETAS listed.

FUEL TYPE	FLUE	WINDOW	TOP	ENAMEL OPTION	AIR WASH	OPTIONAL BOILER
Solid Fuel	Conventional	N/A	Canopy	No	N/A	No

Please consult your dealer for more details.



RECOMMENDED SOLID FUEL TYPES

Smokeless - Ancit, Centurion, Coalite (Nuts), Maxibrite, Phurnacite, Sunbrite (Doubles), Extracite, Blazeprite, Anthracite (Large Nuts), Welsh Dry Steam Coal (Large Nuts) (see page 11 for details).



SOLID FUEL



The Fusion Pellet Stove




Fusion Pellet Stove in Matt Black

FUSION PELLE T STOVE

Clean lines and compact design combine high efficiency, clean burning and automatic control with all the warmth and comfort of wood heating. With up to a 13kW output, the Fusion provides a beautiful warmth and is suitable for any large room. The AGA Fusion Pellet Stove efficiently, conveniently and cheaply converts biomass in the form of Wood Pellet Fuel to heat while giving off almost no wood smoke, helping to protect the environment.

FUEL	EFFICIENCY	WINDOW	ENAMEL OPTION	OPTIONAL BOILER	NOMINAL HEAT OUTPUT
					Minimum 4.1kW
Wood Pellets	90.4%	Plain	No	No	Maximum 13kW



WOOD PELLE T FUEL

RECOMENDED SOLID FUEL TYPES

Wood Pellet Fuel is a renewable, clean-burning biomass product made from renewable substances, normally recycled waste wood or short rotation coppice wood.



Matt Black

SPECIFICATIONS

ALL MODELS

Models	Nominal Heat Output *					Efficiency	
	Space			Water			
	Gas	Wood	MSF	Wood	MSF	Wood	MSF
Stretton	n/a	4.9kW	4.4kW	n/a	n/a	78.4%	70%
Ludlow	n/a	6.5kW	6.2kW	n/a	n/a	76%	69%
Little Wenlock - Classic SE	n/a	4.7kW	n/a	n/a	n/a	71.4%	n/a
Little Wenlock - Classic	n/a	4.7kW	4.7kW	n/a	n/a	81%	70%
Little Wenlock - Solid Fuel and Wood	n/a	5.7kW	4.2kW	n/a	n/a	79.4%	78.8%
Much Wenlock - Classic	n/a	5.5kW	4.1kW	n/a	n/a	77.3%	71.3%
Much Wenlock with Boiler - Solid Fuel and Wood	n/a	2.3kW	1.7kW	4.7kW	4.5kW	n/a	n/a
Berrington - Solid Fuel and Wood	n/a	8.2kW	8.5kW	n/a	n/a	74.2%	76.8%
Rembrandt	n/a	-	3.6kW	n/a	n/a	n/a	n/a
Minsterley with Boiler	n/a	3.6kW	5kW	7.5kW	7.3kW	69%	73%
Fusion Pellet Stove	n/a	4.1kW - 13kW	n/a	n/a	n/a	90.4%	n/a

*Higher or lower outputs can be obtained by lengthening or shortening the refuelling interval. MSF = Manufactured Solid Mineral Fuel

Models	Height (mm)	Width (mm)	Depth (mm)	Height to centre of rear flue (mm)	Flue outlet Dia only (mm)	Flue Requirement	Height of top tapping (mm)	Weight (kg)
Stretton	605mm	482mm	362mm	n/a	153mm	Class 1	n/a	100
Ludlow	588mm	454mm	456mm	469mm	125mm	Class 1	n/a	77
Little Wenlock - Classic SE	533mm	400mm	415mm	440mm	125mm	Class 1	n/a	69
Little Wenlock - Classic	533mm	400mm	415mm	440mm	125mm	Class 1	n/a	69
Much Wenlock - Solid Fuel and Wood	700mm	545mm	480mm	476mm	150mm	Class 1	n/a	137
Much Wenlock - Classic	700mm	550mm	480mm	480mm	150mm	Class 1	n/a	137
Much Wenlock with Boiler - Solid Fuel and Wood	700mm	545mm	480mm	476mm	150mm	Class 1	610	137
Berrington - Solid Fuel and Wood	660mm	697mm	495mm	446mm	150mm	Class 1	n/a	186
Rembrandt	1015mm	620mm	365mm	n/a	200mm	Class 1	n/a	102
Minsterley with Boiler	782mm	568mm	571mm	658mm	153mm	Class 1	n/a	178
Fusion Pellet	1040mm	650mm	580mm	182mm	80mm	n/a	n/a	115

Nominal efficiency and outputs based on refuel every 1.5 hours for wood and 4 hours for solid mineral fuel. All solid fuel AGA Cast Iron Stoves are tested to BS:EN13240 and HETAS approved.

Enamel finishes available in Black and Majolica Brown.

Note: Bituminous coals do not have the same consistency of grade as other solid fuels. Accordingly, please use only those on selected list available from your stockist or heating


engineer and only burn them on a medium or high setting. If the appliance is being operated on wood at a low setting for long periods excess tarring will result.

We recommended that you consult your AGA stockist or qualified heating engineer before making your final stove choice, to be sure the heat output and choice of fuel is most suited to your needs.

SPECIFICATIONS

ALL MODELS

CAST IRON PIPES AND BENDS



PRODUCT	SIZE	MATERIAL
Pipes	6" Pipe x 18"	Enamel
Pipes	6" Pipe x 18"	Matt Black
Pipes	5" Pipe x 18"	Enamel
Pipes	5" Pipe x 18"	Matt Black
Pipes	6" Pipe x 36"	Enamel
Pipes	6" Pipe x 36"	Matt Black

PRODUCT	SIZE	DEGREE	MATERIAL
Bends	6" Bend	112°	Enamel
Bends	6" Bend	112°	Matt Black
Bends	6" Bend	90°	Enamel
Bends	6" Bend	90°	Matt Black
Bends	6" Bend	45°	Enamel
Bends	6" Bend	45°	Matt Black
Bends	5" Bend	112° or 45°	Enamel
Bends	5" Bend	112° or 45°	Matt Black
Bends	5" Bend	90°	Enamel
Bends	5" Bend	90°	Matt Black

NOTES:

- Rated output for solid fuels are based on Ancit Test Fuels. Outputs may vary with other types of fuel.
- All solid fuel stoves burn on selected bituminous coals, most smokeless fuels and dry woods.
- Gas versions use natural gas.
- For minimum clearance to the side of all appliances, please refer to the installation instructions.
- For minimum chimney diameters, please refer to the installation instructions.
- Installations must conform to current Building Regulations and any local bylaws.
- The door glass may blacken on lower fire settings.
- All stoves with boilers have four 1" BSP tappings for water connections. The size of stove that you will need for your own particular requirements is obviously something you can decide – but your appointed AGA stockist will be pleased to advise you.
- All solid fuel stoves have an overnight burning capability. However, it is not recommended to burn bituminous coal for prolonged periods on a low fire. If considering use of manufactured solid fuels, please consult your stockist or heating engineer regarding suitability.
- This brochure is produced as a visual aid and is not intended to replace the Installation and Users Instructions, or the need to view an appliance.
- It should be remembered that all gas appliances must be installed only by a CORGI approved installer in accordance with the Installation Instructions.
- The makers reserve the right to make alterations to design, materials or construction for manufacturing purposes or other reasons, subsequent to publication.
- Enamelled models have chrome handles and black spin wheels where applicable; Matt black model have a black handle and black spin wheel where applicable.
- AGA stoves have a five year parts and one year labour warranty (Does not apply to consumable items; glass, bricks etc).

FIRED EARTH

For 25 years Fired Earth has provided a unique resource for those seeking individuality and authenticity in their home. Renowned for our distinctive wall and floor tile ranges, many of which are handmade, our collections now encompass paint, bathrooms, handcrafted kitchen furniture and wood flooring.

To find out more come and see us at any of our 55 stores, visit www.fireearth.com or simply call **0845 293 8796**.

TILES • BATHROOMS • KITCHENS • PAINT • WOOD FLOORING • DESIGN & INSTALLATION

ALL OF OUR STOVES ARE APPROVED BY:



SFA (SOLID FUEL ASSOCIATION)

The Solid Fuel Association is funded by solid fuel producers and distributors and was established to encourage greater awareness of the benefits of domestic solid fuel heating among the general public. Operating as an advice centre, the Solid Fuel Association welcomes communication on all matters concerning the use of solid fuels both from domestic consumers and professionals such as heating installers and architects.



HETAS

HETAS is the official body recognised by government to approve solid fuel domestic heating appliances, fuels and services. Its work in approving products covers boilers, cookers, open fires, stoves and room heaters. Established in 1936, HETAS Ltd. is the official testing and approval body for the domestic solid fuel industry. HETAS Ltd. approves and gives the three-tick logo mark of quality assurance to solid fuels and solid fuel stoves.



CE Mark

All AGA Stoves carry the CE Mark. This means that they comply with the essential requirements of the relevant European health, safety and environmental protection legislation.

HELPFUL ADVICE

There is an AGA stove to suit every size and style of room.

We recommend that you discuss your requirements with an appointed AGA authorised stove stockist, who will be happy to advise you on the heat output and choice of fuels best suited to your needs.

For more details on AGA Stoves or for help in choosing the right stove for you, please contact your local authorised stove stockist dealer on the details overleaf.

For further information on AGA and its exclusive range of stoves please visit:
www.aga-web.co.uk





C A S T I R O N S T O V E S

Y O U R L O C A L A G A S T O V E D E A L E R I S



AGA STOVES SALES CALL 08453 381 365

www.aga-web.co.uk

AGA is a trading name of AGA Rangemaster Limited.
Registered in England & Wales under Registered Number 3872754.
Registered Office Address - Juno Drive, Leamington Spa, Warwickshire, CV31 3RG



Part of the
AGA RANGEMASTER
Group

